

**Notice of Allowability**

Application No.

10/518,554

Applicant(s)

MADSEN ET AL.

Examiner

Laura L. Stockton, Ph.D.

Art Unit

1626

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the Declaration under 37 CFR 1.132 filed March 7, 2007.
2. ☒ The allowed claim(s) is/are 29-32, 37 and 41, now renumbered claims 1-6, respectively.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☒ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material


5. ☐ Notice of Informal Patent Application

6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date 031307.

7. ☒ Examiner's Amendment/Comment

8. ☒ Examiner's Statement of Reasons for Allowance

9. ☐ Other \_\_\_\_\_.



LAURA L. STOCKTON, PH.D.  
PRIMARY EXAMINER

**EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Richard Gallagher on March 13, 2007.

**In the Claims**

Claim 29, line 2: replace

"1-(5-chloro-2-hydroxyphenyl)-5-chloro-1,3-dihydro-  
2H-benzimidazo-2-one" with  
-- 1-(5-chloro-2-hydroxyphenyl)-5-chloro-1,3-  
dihydro-2H-benzimidazol-2-one -- .

***Reasons for Allowance***

The following is an examiner's statement of reasons for allowance.

The Declaration under 37 CFR 1.132 filed March 7, 2007 is sufficient to overcome the rejection of claims 29-32, 37 and 41 based upon a 35 USC 103 rejection over Olesen et al. {EP 477,819} and in view of the teachings in Olesen et al. {EP 617,023}..

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Any inquiry concerning this communication or earlier communications from the examiner should be

Art Unit: 1626

directed to Laura L. Stockton whose telephone number is (571) 272-0710. The examiner can normally be reached on Monday-Friday from 6:15 am to 2:45 pm. If the examiner is out of the Office, the examiner's supervisor, Joseph McKane, can be reached on (571) 272-0699.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

The Official fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

A handwritten signature in black ink, reading "Laura L. Stockton". The signature is fluid and cursive, with the first name "Laura" being more prominent and the last name "Stockton" following in a similar style.

Laura L. Stockton, Ph.D.  
Patent Examiner  
Art Unit 1626, Group 1620  
Technology Center 1600

March 13, 2007